

to correct to currently presented “ 85 per minute ” in said fourth line:

[0054] Example 2. An individual having a measured value of the LDL concentration in serum of 110 mg/dL, a measured value of blood systolic pressure of 195 mmHg, a measured heart rate of 85 per minute and a measured value of the CRP level in blood plasma of 1.2 mg/L.

8. The correction of the first paragraph of the claim 4 of the page No. 42 of said claims:

previously original first paragraph of said claim 4:

120 4. A method as in claim 1 determining said disease risk yielded by the difference between the measured value and the normal value of said blood systolic pressure parameter, said method comprising the steps of:

to correct to currently presented added “ wherein ” between the sixth word, 1, and the seventh word, determining, in said line No. 120 of said claim 4:

120 4. A method as in claim 1 wherein determining said disease risk yielded by the difference between the measured value and the normal value of said blood systolic pressure parameter, said method comprising the steps of:

9. The correction of the third paragraph containing the line No. 174 of the claim 6 of the page No. 44 of said claims:

previously original "  $72 \text{ s}^{-1}$  " in said line No. 174 of said third paragraph:

175 a normal value,  $f_n$  in  $\text{s}^{-1}$ , of said heart rate is  
determined by the physician or said  $f_n = 72 \text{ s}^{-1}$   
for adult;

to correct to currently presented " 72 per minute " in said line No. 174-175:

175 a normal value,  $f_n$  in  $\text{s}^{-1}$ , of said heart rate is  
determined by the physician or said  $f_n = 72$  per  
minute for adult;

10. The correction of the claim 17 containing the line No. 339 of the page No.:  
52 of said specification:

previously original claim 17 of said page No. 52:

17. A method as in claim 1 wherein repeating said  
method in claim 2 through said method in claim 16  
until said disease risk level is reduced to a normal  
340 level for said individual who requires the therapy to  
prevent or to treat atherosclerosis-related CHD or  
stroke.

to correct to tthe currently presented added " in claim 12 " between the fifth word, level, and the sixth word, is, in said line No. 339 of said claim 17:

17. A method as in claim 1 wherein repeating said method in claim 2 through said method in claim 16 until said disease risk level in claim 12 is reduced  
340 to a normal level for said individual who requires the therapy to prevent or to treat atherosclerosis-related CHD or stroke.